THE BOSS® SNOWPLOW

A Division of Northern Star Industries, Inc.
P.O. BOX 787, IRON MOUNTAIN, MICHIGAN 49801
www.bossplow.com (906) 774-0440

TO: **ALL BOSS DISTRIBUTORS**

DATE:

SUBJECT: FAQ12

The following page is FAQ12 from The BOSS Snowplow Technical Support. Please make sure this FAQ is distributed to all employees and sub-distributors who sell or service The BOSS Snowplow.

We have distributed this FAQ to all registered sub-distributors with dedicated fax lines or e-mail addresses.

Thank you,

BOSS Snowplow Technical Support

BOSS PRODUCTS
NORTH HWY. US2
P.O. BOX 787
IRON MOUNTAIN, MI 49801
Fax: (906) 779-4218 Phone: (906) 776-3500

FAQ12
date

QUESTION: Can I use the existing Upfitter Switches that came on my 08 Ford Super Duty, instead of the Truck/Plow toggle switch that comes with my BOSS plow?

SOLUTION: Yes you can. Follow the instructions below:

1) **Install the BOSS wire harness as instructed, and tap into a proper keyed ignition source.**
2) **Turn on the ignition.**
3) **Using a test light, test both black wires that come from the BOSS wire harness and go to the Truck/Plow toggle switch that is supplied by BOSS.**
4) **Which ever wire is HOT tape it off and tuck it out of the way.**
5) **Cut off the spade connector on the other black wire and connect this to one of the auxiliary blunt cut wires that are shown in figure 1.**

Description

The Ford Upfitter Switches are optional instrument panel mount switches (Option Code 66S) that control passenger side mounted relays. These relays power four blunt cut wires that are taped on a harness near the relay pack that can be found beneath the instrument panel to the left of the steering column. The four blunt cut wires are as follows:

Switches	Circuit	Color	Fuse
Aux 1	CAC05	Yellow	30 Amp
Aux 2	CAC06	Green/Brown	30 Amp
Aux 3	CAC07	Violet/Green	10 Amp
Aux 4	CAC08	Brown	15 Amp

Figure 1



If you have any concerns or questions about this FAQ please feel free to contact BOSS Technical Support at (906) 776-3500.